

Welcome to Intro to Vector Data with *QGIS*

Questions to think about:

- What is your name and pronouns?
- What program/department are you from?
- What brought you to the workshop today?
- What do you hope to get out the workshop?

With *QGIS* someone could:

- Create beautiful maps...


And/or

- Conduct spatial analysis...

QGIS has hundreds of tools and possibilities...

This is an Introduction to *QGIS* with vector data





Intro to Vector Data with *QGIS*




As per the instructions when you signed up:
QGIS downloaded on your computer?



If not, please come back to the workshop another time!

Territorial Acknowledgment

We acknowledge and respect the **ləkʷəŋən** peoples on whose traditional territory the university stands and the Songhees, Esquimalt, and **WSÁNEĆ** peoples whose historical relationships with the land continue to this day.



Learning Objectives

- **Distinguish** between GIS and other web map interfaces
- **Identify and navigate** key *QGIS* interface elements
(Layers panel, Menu bar, Map view)
- **Define** the basics of **vector data**
- **Explore data layers** using tools such as identify feature



Outcomes

Using *QGIS*, participants will:

- **Load and display** vector data from the Capital Regional District
 - CRD neighbourhoods (polygon)
 - bus routes (lines)
 - location coordinate (points)
- **Import locations.csv data** and add to it
- **Style** above
- **Export map**



What is a Geospatial Tool?

Software/hardware typically designed for specific tasks or functions such as mapping

Web-based mapping tools, very limited spatial analysis.



**Not all
geospatial tools
are a GIS!**

What is a GIS?

A comprehensive system which encompasses a range of geospatial tools for spatial modelling and analysis




What is GIS?

GIS can:

- Create
- Edit (manipulate, sub-set, etc.)
- Query
- Manage
- Analyse
- Store

data



[GIS and Mapping - Wyoming County, PA, USA](#)


Maguire, D.J. (1991). An overview and definition of GIS.
Geographical information systems: Principles and applications.

Chrisman, N.R. (1999). What does 'GIS' mean? *Transactions in GIS* 3(2)

Desktop GIS: *Proprietary*




Desktop GIS: *FOSS* (*Free and Open-Source Software*)



Geospatial Data: Two Types


Vector

- sometimes no accompanying data values




Raster


- grid consisting of data




Vector Types



Points: Zero dimensions
individual geographic locations
defined by a single pair of coordinates.



Lines: One dimension (length)
connected set of points
linear features (roads, rivers, utility lines, etc.)



Polygons: Two dimensions (length and width)
area and perimeter
(census boundaries, neighbourhoods, buildings, etc.)

Vector Types

Polygons  **Victoria**

- Area, perimeter

Lines  **Roads**

- Length, sometimes width

Points  **Points**


- No dimensions



Vector Data

Looks can be deceiving...

Rivers (or even roads) can be polygons



Vector Data

Looks can be deceiving...

Lines can look like polygons
but can be a line outline
not a polygon, no area



	FID	Shape
	0	Polyline
	1	Polyline
	2	Polyline
	3	Polyline



Vector Data

Looks can be deceiving...

Detail varies between datasets
at different scales



Vector files:

ESRI Shapefiles (*.shp *.SHP)

GMT ASCII Vectors (.gmt) (*.gmt *.GMT)

GPS eXchange Format [GPX] (*.gpx *.GPX)

GPSTrackMaker (*.gtm *.gtz *.GTM *.GTZ)

GeoJSON (*.geojson *.GEOJSON)

GeoJSON Newline Delimited JSON (*.geojsonl *.geojsons *.nlgeojson *.json *.GEOJSONL *.GEOJSONS *.NLGEOJSON *.JSON)

GeoPackage (*.gpkg *.GPKG)

GeoRSS (*.xml *.XML)

Geoconcept (*.gxt *.txt *.GXT *.TXT)

Geography Markup Language [GML] (*.gml *.GML)

Geomedia .mdb (*.mdb *.MDB)

Geospatial PDF (*.pdf *.PDF)

Hydrographic Transfer Format (*.htf *.HTF)

INTERLIS 1 (*.itf *.xml *.ili *.ITF *.XML *.ILI)

INTERLIS 2 (*.xtf *.xml *.ili *.XTF *.XML *.ILI)

Idrisi Vector (.vct) (*.vct *.VCT)

Keyhole Markup Language [KML] (*.kml *.kmz *.KML *.KMZ)

MBTiles (*.mbtiles *.MBTILES)

MS Excel format (*.xls *.XLS)

MS Office Open XML spreadsheet (*.xlsx *.XLSX)

Mapbox Vector Tiles (*.mvt *.mvt.gz *.pbf *.MVT *.MVT.GZ *.PBF)

Mapinfo File (*.mif *.tab *.MIF *.TAB)

Microstation DGN (*.dgn *.DGN)

NAS - ALKIS (*.xml *.XML)

Network Common Data Format (*.nc *.NC)

Open Document Spreadsheet (*.ods *.ODS)

OpenAir Special Use Airspace Format (*.txt *.TXT)

OpenJUMP JML (*.jml *.JML)

OpenStreetMap (*.osm *.pbf *.OSM *.PBF)

PCI Geomatics Database File (*.pix *.PIX)

50+ vector file types!

Vector files:

ESRI Shapefiles (*.shp *.SHP)

GMT ASCII Vectors (.gmt) (*.gmt *.GMT)

ESRI shapefiles must have:

- .shx** shape index position, used for searching
- .shp** gives features their geometry
- .dbf** database file storing attribute data and object IDs
- .prj** for coordinate and projection system

Sometimes additional files (but not necessary)

- .cpg** encoding applied to create the shapefile
- .sbn** optimizes spatial queries
- .sbx** speeds up loading times
- .xml** metadata associated with the shapefile



Database Files (.dbf)

- Vector features can have **attribute information**
- This attribute information is contained in the .dbf
- Information is organized into tables

Fields: Each column is called a *field*
each field describes a different attribute

	shape_id	route_id	service_id	trip_id	headsign	block_id	direction	Route
1	18452	21-VIC	3797.0000000000...	10572053:78617...	Interurban to VI...	8755098.000000...	0	21
2	18492	35-VIC	3799.0000000000...	10573367:78620...	Ridge	7882016.000000...	0	35
3	18512	72-VIC	3797.0000000000...	10568524:87458...	Swartz Bay Ferr...	8755714.000000...	0	72
4	18521	10-VIC	3797.0000000000...	10574085:78613...	Royal Jubilee vi...	7882764.000000...	0	10
5	18522	54-VIC	3797.0000000000...	10573863:78614...	William Head vi...	8755077.000000...	1.000000000000...	54
6	18532	64-VIC	3799.0000000000...	10573823:78748...	East Sooke	8754829.000000...	0	64
7	18536	12-VIC	3798.0000000000...	10485888:78615...	UVic via Kenmore	8755395.000000...	0	12


Features: Each row refers to a different feature on screen

Database Files (.dbf)

Column/Field names must follow these standards

- Maximum 10 characters
- Begin with a letter
- No dashes - or slashes /
- Underscores _ ok

FIELDS




	shape_id	route_id	service_id	trip_id	headsign	block_id	direction	Route
1	18452	21-VIC	3797.0000000000...	10572053:78617...	Interurban to VI...	8755098.000000...	0	21
2	18492	35-VIC	3799.0000000000...	10573367:78620...	Ridge	7882016.000000...	0	35
3	18512	72-VIC	3797.0000000000...	10568524:87458...	Swartz Bay Ferr...	8755714.000000...	0	72
4	18521	10-VIC	3797.0000000000...	10574085:78613...	Royal Jubilee vi...	7882764.000000...	0	10
5	18522	54-VIC	3797.0000000000...	10573863:78614...	William Head vi...	8755077.000000...	1.000000000000...	54
6	18532	64-VIC	3799.0000000000...	10573823:78748...	East Sooke	8754829.000000...	0	64
7	18536	12-VIC	3798.0000000000...	10485888:78615...	UVic via Kenmore	8755395.000000...	0	12

Show All Features


.dbf can exist without geometric data (**.shp**) but are difficult to interpret without visual representation

Note on shapefiles and geopackages...

When viewing shapefiles (.shp) in **QGIS Browser**, symbol is generic shapefile symbol →



When viewing geopackages (.gpkg) in **QGIS Browser**, symbol is specific to type of geometry (polygon, line, point, etc.) →




Important to consider when deciding whether to use shapefile or geopackage (e.g. project with many layers, similar file names, etc.)


If you have a choice to download data as a geopackage, do so, but not always an option...

Geographic Coordinate Systems

- default GCS for *QGIS* is **EPSG 4326**
- data changed to **EPSG 3157** for our study area (Victoria, BC)



Vancouver Island in **EPSG 4326**



Vancouver Island in **EPSG 3157**

Which looks “better”?

Geographic Coordinate Systems

- default GCS for *QGIS* is **EPSG 4326**
- data changed to **EPSG 3157** for our study area (Victoria, BC)

in a GIS project in *QGIS*,
all data should [ultimately] be the same GCS/PCS
to ensure data alignment and limited distortions

Victoria in **EPSG 4326**


Victoria in **EPSG 3157**

The GCS/PCS depends on the project...
location, purpose, scale, accuracy needs, etc

Comma separated value (.csv) vector data

- (later) we will add **.csv** with Lat/Long to a map as (vector) points

	A	B	C
1	Name	Latitude	Longitude
2	YYJ	48.65255013	-123.4297931
3	Swartz Bay	48.68812438	-123.4146051
4	PKOLS	48.49348443	-123.3422378
5	Royal BC Museum	48.42113463	-123.3673963




Start *QGIS*

Download workshop data

- Extract /unzip the .zip file
- Save it where you can find it...

Open *QGIS* (your version may be different)

- Double click on *New Empty Project*



Note: New *QGIS* projects open with Geographic Coordinate System (GCS) **EPSG:4326**

Understand *QGIS* interface



*your interface may look different

Menu Bar

Toolbar

Layers Panel


Map view

Browser

Toolbox

Status Bar

Results Viewer



Understand *QGIS* interface

Menu Bar:

Project Edit View Layer Settings Plugins Vector Raster Database Web Mesh HCMGIS Processing Help

Horizontal bar at the top providing access to various functions and tools

(Project management, Edit, Plugins, Vector & Raster tools, etc.)

Toolbar:




Contains icons for frequently used tools, such as Add Data, Pan, Zoom, Identify, etc.

Quick access to essential operations.

Layers Panel:

Displays all active **Layers** in the project.

Allows users to organize, manage visibility and access properties of layers





Understand *QGIS* interface

Map View:

The central area where spatial data is displayed. Interact with the map, visualize layers and analyze spatial relationships.


Status Bar:

Located at the bottom, it provides information about current project: coordinate display, scale and CRS settings.



Toolbar essentials

New project, open, and save



Pan

zoom

“zoom full”

Add data



Proceed to **Workshop Exercise**

There are **Check-In** slides to **ask** for help
(or **ask** sooner!)

Resources going forward:



QGIS – used in workshop today:

- QGIS Training Manual: https://docs.qgis.org/3.40/en/docs/training_manual/index.html
- QGIS User Guide: https://docs.qgis.org/3.40/en/docs/user_manual/index.html
- QGIS Tutorials & Tips: <https://www.qgistutorials.com/>

Find data:

- GeoSpatial Data Guide: <http://libguides.uvic.ca/geospatialdata>

Questions or problems:

- UVic Geospatial Librarian (danielbm@uvic.ca), YCW Geospatial Intern (gabriellewade@uvic.ca)

UVic full semester GIS courses in the Department of Geography:

- GEOG222 – Intro to Maps and GIS
- GEOG328 – GIS Analysis



GIS Skills and Mapping Micro-certificate

<https://continuingstudies.uvic.ca/science-and-the-environment/programs/gis-skills-and-mapping>